



GEORGIA
SOUTHERN
UNIVERSITY

Synthesis and Characterization of Diblock, pH-Responsive Drug Delivery mPEG-Poly(β -amino ester) Polymeric Micelles

Maxwell A. Wallace*, Julissa Rodriguez*, Maria Blahove, and James R. Carter

Department of Chemistry and Biochemistry, Georgia Southern University, Statesboro, GA

* = Contributed to the research equally

Introduction

Biocompatible micellar nanoparticles provide a platform to increase drug solubility, increasing cellular uptake, and leading to increased control of virus infection. We are interested in the utility of pH-responsive nanoparticles possessing the ability to deliver drug cargo intracellularly, in a pH-dependent manner, coupled with known and novel antiviral compounds. The presented research describes the assembly and characterization of mPEG-PAE (methoxy-polyethylene glycol PEG-Poly(β -amino ester) micelles. These micelles have been designed and synthesized to possess the ability to disassemble at pH 6.0, the pH of the trans-Golgi this will result in the release of encapsulated drug cargo, and presumably lead to failure of virus proteins to add complex sugars to high mannose chains and subsequent decrease in virus particle assembly and suppression of virus replication. Described in this poster is the synthesis of mPEG-PAE polymers and experiments leading to micellar formation of these polymers and biophysical characterization following encapsulation of with ribavirin, a broad-spectrum antiviral. Results show the proper formation and characterization of ribavirin encapsulated mPEG-PAE micellar nanoparticles and give promise to their use in suppression of virus infection.

Diblock Synthesis




Figure 1. Synthesis of acrylated mPEG




Figure 2. Synthesis of mPEG-PAE from mPEG-A, TDP, and HDD.




Figure 3. Complete structure of MPEG-Poly(β -amino ester).

Drug-Loaded Micelle Synthesis




Figure 4. Reaction for the synthesis of ribavirin-loaded MPEG-PAE micelles.

Characterization




Figure 5. FT-IR analysis of experimental mPEG-PAE Diblock polymer. .




Figure 6. UV-Vis Spectroscopy analysis of ten runs for mPEG-PAE blank micelles




Figure 7. Number PSD of mPEG-PAE Blank Micelles (Average Diameter)




Figure 8. Number PSD (Average diameters) for 10 experiments of mPEG-PAE Micelles

Conclusion/Future Work

The research presented represents a new method to deliver antiviral compounds intracellularly: with micelles constructed with mPEG-PAE di-block polymers. Following additional characterization, mPEG-PAE micelles will be assessed for efficacy in intracellular drug delivery of antivirals and suppression of mosquito-borne viruses, such as dengue and Zika.

Acknowledgements

Thank you to Maria Blahove and Dr. James Carter for overseeing, guiding, and designing many of these projects. Thank you also to GSU for providing funding and equipment to carry out these experiments, with extra thanks to Dr. White for the use of her lyophilizer.